



MATERIAL AND GENERAL INFO - HA & TOXIN

BOTULINUM TOXIN

DILUTION

Azzalure, 1ml dilution

Knowing that 1 Azzalure = 125 IU Speywood = 50 IU Botox.

- So you inject 0.5 IU of toxin at each graduation of the syringe, and each syringe you took contained 30 IU of Botox (75 IU speywood).

MATERIAL - Dilution

2.5 ml luer lock syringe

21 gauge 13 mm needle

NaCl 0.9% (saline solution)

MATERIAL - Injection

Pre-assembled syringe 32G 8mm 0.3ml

HYALURONIC ACID

PERIOSTEUM

Pre-hole: 23G 13mm needle

25 gauge 38 mm cannula

27 Gauge 13 mm needle

SUBCUTANEOUS

30 gauge 4 mm needle

32 gauge 4 mm needle

INTRADERMAL BLANCHING

30 gauge 4 mm needle 32

Gauge 4 mm needle

SUBCUTANEOUS CONTOURING

22 gauge 50-70 mm

cannula (Pre-hole: 21G

13mm needle)

Model 1
Sandrine



PRODUCTS

Hyaluronic Acid

Area	Product	Quantity	Layer(s)
Tear Trough	Eyelight	1ml - 0.5ml each side	Periosteum & Subcutaneous
Cheeks	Lyft	2ml - 1ml each side	Periosteum
Nasolabial Fold	Defyne	1ml - 0.5 ml each side	Periosteum & Subcutaneous
Marionette Line	Defyne	1ml - 0.5 ml each side	XX

Botulinum Toxin

Glabella	Azzalure	2ui	Intramuscular
Eyebrows	Azzalure	16ui - 8 each side	Intramuscular
Crows feet	Azzalure	14ui - 7 each side	Intramuscular

Model 2
Marie-Jo



PRODUCTS USED

Hyaluronic Acid


Area	Product	Quantity	Layer(s)
Cheeks	Lyft	2ml - 1ml each side	Periosteum
Nasolabial Fold	Refyne	1ml - 0.5 ml each side	Periosteum & Subcutaneous
Under Lip	Refyne		
Bar Code Blanching	Refyne	1ml - 0.5 ml each side	Subcutaneous

Botulinum Toxin

Glabella	Azzalure	2ui	Intramuscular
Eyebrows	Azzalure	16ui - 8 each side	Intramuscular
Crows feet	Azzalure	14ui - 7 each side	Intramuscular

Model 3

Lara



PRODUCTS USED

Botulinum Toxin


Hyperhidrosis

Azzalure

100ui - 50 each side

Intramuscular

Model 4
Yannis



PRODUCTS USED

Hyaluronic Acid

Area	Product	Quantity	Layer(s)
Tear Trough	Eyelight	1ml - 0.5ml each side	Subdermal
Jawline	Volyme	1ml - 0.5ml each side	Subcutaneous
Chin	Volyme	3ml	Subcutaneous

Scar Skin Boosters	Vital	0.3ml	Subdermal & Subcutaneous
--------------------	-------	-------	--------------------------

Botulinum Toxin

Glabella	Azzalure	2ui	Intramuscular
Eyebrows	Azzalure	16ui - 8 each side	Intramuscular
Crows feet	Azzalure	14ui - 7 each side	Intramuscular

BEFORE




AFTER



BEFORE



AFTER



Model 4
Valérie



PRODUCTS USED

Hyaluronic Acid

Area	Product	Quantity	Layer(s)
Cheeks	Lyft	2ml - 1ml each side	Periosteum
Nasolabial Fold	Refyne	1ml - 0.5 ml each side	Periosteum & Subcutaneous
Barcode around lips	Refyne	0.5ml	Subcutaneous
Lips	Kysse	0.5ml	Subcutaneous
Jawline	Volyme	4ml - 2ml each side	Subcutaneous

Botulinum Toxin

Glabella	Alluzience	2ui	Intramuscular
Eyebrows	Alluzience	16ui - 8 each side	Intramuscular
Crows feet	Alluzience	14ui - 7 each side	Intramuscular

BEFORE



AFTER

